

**P and NP**

1. Suppose  $P \neq NP$ . Could there exist a polynomial-time algorithm for translating a CNF into an equivalent DNF?
2. *Reducibility*. Recall that, for two decision problems,  $A \leq_m^P B$  if there exists a polynomial time computable function  $f$  such that  $x \in A \iff f(x) \in B$ , for any  $x$ .

Consider the following decision problems:

- **INDSET**: given a graph  $G$  and a number  $k$ , decide whether  $G$  contains an independent set of  $k$  vertices (that is,  $k$  vertices, none of which are connected);
- **CLIQUE**: given a graph  $G$  and a number  $k$ , decide whether  $G$  contains a clique of  $k$  vertices (that is,  $k$  vertices, which are connected pairwise);
- **VERTEXCOVER**: given a graph  $G$  and a number  $k$ , decide whether  $G$  has a vertex cover of  $k$  vertices (that is, a set  $U$  of  $k$  vertices such that for every edge at least one end of belongs to  $U$ ).

Show that: (a)  $\text{INDSET} \leq_m^P \text{CLIQUE}$ ; (b)  $\text{INDSET} \leq_m^P \text{VERTEXCOVER}$ .

3. Show that if  $NP \neq \text{coNP}$ , then  $P \neq NP$ .
4. (a) Suppose  $\text{SAT} \in P$ . Show that there exists an algorithm which checks satisfiability of Boolean formulae and, if a given formula is satisfiable, yields a satisfying assignment.  
(b) Does the same work for 2-SAT?
5. (a) Does there exist an polynomial time algorithm that, given a 2-CNF, yields *all* its satisfying assignments?  
(b) Does there exists an algorithm for generating all satisfying assignments of a given 2-CNF with *polynomial delay*? That means that the algorithm should produce the answers (satisfying assignments) gradually, one by one, spending a polynomially bounded amount of time before the first answer and between answers.