


Graph Colorings

By k -COLOR, for a fixed k , we denote the following algorithmic problem: given a graph G , determine whether vertices of G can be colored in k colors such that adjacent vertices are colored differently.

1. Show that 2-COLOR is polynomially decidable.
2. (a) Show that for any k there exists a graph which is k -colorable, but not $(k - 1)$ -colorable.
 (b) Show that if a graph is k -colorable, but not $(k - 1)$ -colorable, then its number of edges is at least $k(k - 1)/2$.
3. Show that k -COLOR belongs to NP for any k .
4. (a) Consider a graph fragment of the following form, which is partially colored in red, green, blue.



Now let us also color the vertices x , \bar{x} , y , and \bar{y} , so that no adjacent vertices have the same color. Let Boolean variable x be true if x is green and false if it is red (then \bar{x} is green); the same for y . Write down a Boolean formula with variables x and y which is true if and only if the remaining three white vertices can be correctly colored so that d becomes green.

- (b) Extend the construction of Task 4(a) to three variables x , y , z (and their negations \bar{x} , \bar{y} , \bar{z}).
- (c) For a given Boolean formula φ in 3-CNF, construct a graph G_φ which is 3-colorable if and only if φ is satisfiable.
- (d) Show that 3-COLOR is NP-complete.